

HYUNDAI

CATALOGUE TVCC IP

Q1/2021



HYUNDAI

CAMERAS
IP

PLUG&PLAY
HIKVISION
DAHUA

HIKVISION
dahua
TECHNOLOGY
ONVIF

IP BULLET 2MP, 2,8MM, SMART IR 20M, 2 WAY AUDIO

- 2MP@25fps, 0,1/0,01 lux
- H.265+/MJPEG, dual stream
- 2,8 mm lens
- D-WDR, IP66, PoE, Reset button

20M SM-IR WDR digital 2,8 mm IP66 H.265+ EMP



HYU-305N

IP BULLET 5MP, 2,8MM, SMART IR 25M, 2 WAY AUDIO

- 5MP@10fps, 3MP/2MP@25fps
- H.265+, dual stream
- 2,8 mm lens
- D-WDR, IP66, PoE, Reset button

25M SM-IR WDR digital 2,8 mm IP66 H.265+ SMP



HYU-750

IP BULLET 2MP, 2,7~13MM MOTOR, SMART IR 40M, 2 WAY AUDIO

- 2MP@25fps, 0,1/0,01 lux
- H.264/MJPEG, dual stream
- 2,7~13 mm motor lens
- D-WDR, IP66, PoE, Reset button

40M SM-IR WDR digital AUTO FOCUS IP66 EMP



HYU-300

IP BULLET 2MP, 2,8~12MM MOTOR, SMART IR 40M, 2 WAY AUDIO

- 2MP@20fps
- H.265/H.264, dual stream
- 2,8~12 mm motor lens
- WDR 120dB, IP66, PoE, Reset button

40M SM-IR WDR 120dB AUTO FOCUS IP66 H.265 EMP



HYU-748

IP BULLET 4MP, 2,7~13,5MM MOTOR, SMART IR 40M

- 4MP@25fps, 0,01 lux
- H.265/H.264, dual stream
- 2,7~13,5 mm motor lens
- 2D/3D-DNR, D-WDR, IP66, PoE

40M SM-IR WDR digital AUTO FOCUS IP66 H.265 EMP



HYU-333

IP BULLET 4MP, 2,8~12MM MOTOR, SMART IR 60M, 2 WAY AUDIO

- 4MP@15fps
- H.265/H.264, dual stream
- 2,8~12 mm motor lens
- WDR 120dB, IP66, PoE, Reset button

60M SM-IR WDR 120dB AUTO FOCUS IP66 H.265 EMP



HYU-256

IP BULLET 4MP, 2,8~12MM MOTOR, SMART IR 40M, 2 WAY AUDIO

- 4MP@15fps, 0,1/0,01 lux
- H.265/MJPEG, dual stream
- 2,8~12 mm motor lens
- WDR 120dB, IP66, PoE, Reset button

40M SM-IR WDR 120dB AUTO FOCUS IP66 H.265 EMP



HYU-307

IP BULLET 5MP, 2,8~12MM MOTOR, SMART IR 40M, 2 WAY AUDIO

- 5MP@15fps
- H.265/H.264, dual stream
- 2,8~12 mm motor lens
- WDR 120dB, IP66, PoE, Reset button

40M SM-IR WDR 120dB AUTO FOCUS IP66 H.265 SMP



HYU-878

IP DOME 4MP, 2,8~12MM MOTOR, SMART IR 40M, 2 WAY AUDIO

- 4MP@25fps
- H.265/H.264, dual stream
- 2,8~12 mm motor lens
- WDR 120dB, IP66, PoE, Reset button

40M SM-IR WDR 120dB AUTO FOCUS IP66 H.265 EMP



HYU-255

**IP DOME 2MP, 2,7~13,5MM
MOTOR, SMART IR 40M, 2 WAY AUDIO**

- 2MP@25fps, 0,1/0,01 lux
- H.265/H.264, dual stream
- 2,7~13,5 mm motor lens
- D-WDR, IP66, PoE, Reset button

40M SM-IR **WDR** digital **AUTO** FOCUS **IP66** **H.265** **EMP**



HYU-302N

**IP CAMERAS
BULLETS AND DOMES
NEXTGEN**



**IP DOME 5MP, 2,8MM,
SMART IR 20M, 2 WAY AUDIO**

- 5MP@10fps, 3MP/2MP@25fps
- H.265+, dual stream
- 3,6 mm lens
- D-WDR, IP67, PoE, Reset button

20M SM-IR **WDR** digital **AUTO** FOCUS **IP67** **H.265** **SMP**



HYU-751

**IP DOME 2MP, 2,8MM,
SMART IR 30M, 2 WAY AUDIO**

- 2MP@20fps
- H.265/H.264, dual stream
- 3,6 mm lens
- Digital WDR, IP67, PoE, Reset button

30M SM-IR **WDR** digital **AUTO** FOCUS **IP67** **H.265** **EMP**



HYU-749

HYUNDAI

PerformanceLine & ValueLine



**IP BULLET 2MP, 2,8MM,
SMART IR 30M**

- 2MP@25fps, 0,01 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, D-WDR, ROI, IP67, PoE

30M SM-IR **WDR** digital **2,8** mm **IP67** **H.265+** **EMP**



HYU-414

**IP BULLET 4MP, 2,8MM,
SMART IR 30M**

- 4MP@20fps, 0,01 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, D-WDR, ROI, IP67, PoE

30M SM-IR **WDR** digital **2,8** mm **IP67** **H.265+** **4MP**



HYU-408

IP BULLET 4MP, 2,8MM, SMART IR 30M

30M **WDR** **AUTO** **IP67** **H.265**
SM-IR 120dB FOCUS **4MP**

- 4MP@20fps, 0,01 lux
- H.265/MJPEG, dual stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67, PoE

- Stream 1: 4MP, 1080P, 720P (20 fps)
- Stream 2: D1, CIF, VGA, QVGA (20 fps)
- IR illumination: 30 meters



HYU-752

IP BULLET 5MP, 2,8MM, SMART IR 30M

- 5MP@12fps, 0,028 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, ROI, IP67, PoE



30M **WDR** **2,8** **IP67** **H.265+**
SM-IR 120dB mm **SMP**

HYU-615

IP BULLET 5MP, 2,8~12MM MOTOR, SMART IR 30M

- 5MP@12fps, 0,02 lux
- H.265+/H.264+, dual stream
- 2,8~12 mm motor lens
- MicroSD, 3D-DNR, WDR 120dB, IP67, PoE



30M **WDR** **AUTO** **IP67** **H.265+**
SM-IR 120dB FOCUS **SMP**

HYU-618

IP BULLET 4MP, 2,8~12MM MOTOR, SMART IR 30M

- 4MP@20fps, 0,018 lux
- H.265+/H.264+, dual stream
- 2,8~12 mm motor lens
- MicroSD, 3D-DNR, WDR 120dB, IP67, PoE



30M **WDR** **AUTO** **IP67** **H.265+**
SM-IR 120dB FOCUS **4MP**

HYU-411

IP BULLET 2MP, 2,8MM, SMART IR 30M

- 2MP@25fps, 0,028 lux
- H.265/MJPEG, dual stream
- 2,8 mm lens
- MicroSD, 3D-DNR, Digital WDR, IP67, PoE



30M **WDR** **AUTO** **IP67** **H.265**
SM-IR digital FOCUS **EMP**

HYU-768

IP BULLET 2MP, 2,8~12MM MOTOR, SMART IR 30M

- 2MP@25fps, 0,028 lux
- H.265+/H.264+, dual stream
- 2,8~12 mm motor lens
- MicroSD, 3D-DNR, WDR 120dB, IP67, PoE



30M **WDR** **AUTO** **IP67** **H.265+**
SM-IR 120dB FOCUS **EMP**

HYU-771

IP VANDAL DOME 5MP, 2,8~12MM MOTOR, SMART IR 30M

- 5MP/4MP@12fps/20fps, 0,02 lux
- H.265+/H.264+, dual stream
- 2,8~12 mm motor lens
- MicroSD, WDR 120dB, IP67, IK10, PoE



30M **AUTO** **WDR** **IP67** **VANDAL** **H.265+**
SM-IR FOCUS 120dB PROOF **SMP**

HYU-619

IP DOME 5MP, 2,8~12MM MOTOR, SMART IR 30M

- 5MP/4MP@12fps/20fps, 0,02 lux
- H.265+/H.264+, dual stream
- 2,8~12 mm motor lens
- MicroSD, WDR 120dB, ROI, IP67, PoE



30M **AUTO** **WDR** **IP67** **H.265+**
SM-IR FOCUS 120dB **SMP**

HYU-620

IP DOME 2MP, 2,8MM, SMART IR 30M

- 2MP@25fps, 0,01 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, Digital WDR, IP67, PoE



30M **2,8** **WDR** **IP67** **H.265+**
SM-IR mm digital **EMP**

HYU-416N

IP BULLET 4MP, 2,8~12MM MOTOR, SMART IR 30M

- 4MP@20fps, 0,01 lux
- H.265+/MJPEG, dual stream
- 2,8~12 mm motor lens
- MicroSD, 3D-DNR, WDR 120dB, IP67, PoE



30M SM-IR **WDR** 120dB **AUTO** FOCUS **IP67** **H.265+** **4MP**

HYU-760

IP DOME 2MP, 2,8~12MM MOTOR, SMART IR 30M

- 2MP@25fps, 0,028 lux
- H.265+/H.264+, dual stream
- 2,8~12 mm motor lens
- MicroSD, 3D-DNR, WDR 120dB, IP67, PoE



30M SM-IR **WDR** 120dB **AUTO** FOCUS **IP67** **H.265+** **EMP**

HYU-772

IP DOME 4MP, 2,8~12MM MOTOR, SMART IR 30M

- 4MP@20fps, 0,018 lux
- H.265+/MJPEG, dual stream
- 2,8~12 mm motor lens
- MicroSD, 3D-DNR, WDR 120dB, IP67, PoE



30M SM-IR **WDR** 120dB **AUTO** FOCUS **IP67** **H.265** **4MP**

HYU-767

IP DOME 4MP, 2,8~12MM MOTOR, SMART IR 20/30M

- 4MP@20fps, 0,01 lux
- H.265+/MJPEG, dual stream
- 2,8~12 mm motor lens
- MicroSD, 3D-DNR, WDR 120dB, IP67, PoE



30M SM-IR **WDR** 120dB **AUTO** FOCUS **IP67** **H.265+** **4MP**

HYU-766

IP DOME 2MP, 2,8MM, SMART IR 30M

- 2MP@25fps, 0,028 lux
- H.265+/MJPEG, dual stream
- 2,8 mm lens
- 3D-DNR, Digital WDR, IP67, PoE



30M SM-IR **WDR** digital **IP67** **H.265** **EMP**

HYU-769

IP DOME 2MP, 2,8MM, SMART IR 30M

- 2MP@25fps, 0,028 lux
- H.265+/MJPEG, dual stream
- 2,8 mm lens
- 3D-DNR, Digital WDR, IP67, PoE



30M SM-IR **WDR** digital **IP67** **H.265** **EMP**

HYU-770

IP VANDAL DOME 2MP, 2,8MM, SMART IR 30M

- 1080P@25fps, 0,01/0,028 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- D-WDR, ROI, IP67, IK10, PoE

30M SM-IR **2,8** mm **WDR** digital **IP67** **VANDAL PROOF** **H.265+** **EMP**

- Motion detection and privacy mask
- Adjustment of brightness, saturation, contrast, sharpness, mirror
- Network interface: RJ45 (10/100 Base-T)



HYU-415

IP DOME 4MP, 2,8~12MM MOTOR, SMART IR 30M

- 4MP@20fps, 0,02 lux
- H.265+/MJPEG, dual stream
- 2,8~12 mm motor lens
- MicroSD, 3D-DNR, WDR 120dB, IP67, PoE



30M SM-IR **WDR** 120dB **AUTO** FOCUS **IP67** **H.265+** **4MP**

HYU-773

IP DOME 5MP, 2,8MM, SMART IR 30M

- 5MP@12fps, 0,028 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67, PoE



30M SM-IR **2,8** mm **WDR** 120dB **IP67** **H.265+** **5MP**

HYU-616

IP VANDAL DOME, 4MP, 2,8MM, SMART IR 30M

- 4MP@20fps, 0,01/0,028 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- D-WDR, ROI, IP67, IK10, PoE
- OSD menu, AGC, BLC, Digital WDR, 3D-DNR

- 1 main and secondary stream of fixed ROI zone
- Configuration of illumination, saturation, contrast, sharpness, mirror

30M SM-IR 2,8 mm WDR digital IP67 VANDAL PROOF H.265+ 4MP



HYU-409

IP DOME 4MP, 2,8MM, SMART IR 30M

- 4MP@20fps, 0,01 lux
- H.265+, MJPEG dual stream
- 2,8mm lens
- WDR 120dB, IP67, PoE, Reset button



HYU-753

30M SM-IR WDR 120dB AUTO FOCUS IP66 H.265+ 4MP

IP DOME 5MP, 2,8MM, SMART IR 30M

- 5MP@12fps, 0,028 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67, PoE



HYU-617

30M SM-IR 2,8 mm WDR 120dB IP67 H.265+ 5MP

IP DOME 4MP, 2,8MM, SMART IR 30M

- 4MP@20fps, 0,01 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, Digital WDR, IP67, PoE



HYU-410N

30M SM-IR 2,8 mm WDR digital IP67 H.265+ 4MP

IP DOME 2MP, 2,8~12MM MOTOR, SMART IR 20~30M

- 2MP@25fps, 0,02 lux
- H.265+/H.264+, dual stream
- 2,8~12 mm motor lens
- 3D-DNR, D-WDR, ROI, IP67, PoE



HYU-418

30M SM-IR AUTO FOCUS WDR digital IP67 H.265+ 2MP

IP DOME 4MP, 2,8~12MM MOTOR, SMART IR 20~30M

- 4MP@20fps, 0,01/0,018 lux
- H.265+/H.264+, dual stream
- 2,8~12 mm motor lens
- 3D-DNR, WDR-120db, ROI, IP67, PoE
- 1 main and secondary stream of fixed ROI zone

- Motion detection and privacy mask
- Adjustment of brightness, saturation, contrast, sharpness, mirror
- Network interface: RJ45 (10/100 Base-T)



HYU-412

30M SM-IR AUTO FOCUS WDR 120db IP67 H.265+ 4MP

IP DOME 4MP, 2,8~12MM, SMART IR 20-30M

- 4MP@20fps, 0,01/0,018 lux
- H.265+/H.264+, dual stream
- 2,8~12 mm motor lens
- 3D-DNR, WDR 120dB, IP67, PoE



HYU-412N

30M SM-IR WDR 120dB IP67 H.265+ 4MP

IP VANDAL DOME, 4MP, 2,8~12MM MOTOR, SMART IR 30M

- 4MP@20fps, 0,01/0,018 lux
- H.265+/H.264+, dual stream
- 2,8~12 mm motor lens
- MicroSD, WDR 120dB, IP67, IK10, PoE



HYU-413

30M SM-IR AUTO FOCUS WDR 120dB IP67 VANDAL PROOF H.265+ 4MP



IP BULLET 4MP, 2,8MM, SMART IR 30M

- 4MP/3MP@25fps, 0,018 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- MicroSD, WDR 120dB, IVS, IP67, PoE



30M SM-IR **WDR** 120dB **2,8** mm **IVS** **IP67** **H.265+** **4MP** HYU-738

IP BULLET 2MP, 2,8MM, SMART IR 30M

- 2MP@25fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- MicroSD, WDR 120dB, IVS, IP67, PoE



30M SM-IR **WDR** 120dB **2,8** mm **IVS** **IP67** **H.265+** **2MP** HYU-737

IP BULLET 6MP, 2,8MM, SMART IR 30M

- 6MP/5MP@20fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IVS, IP67, PoE



30M SM-IR **WDR** 120dB **2,8** mm **IVS** **IP67** **H.265+** **6MP** HYU-492

IP BULLET 8MP, 2,8MM, SMART IR 30M

- 8MP@12fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IVS, IP67, PoE



30M SM-IR **WDR** 120dB **2,8** mm **IVS** **IP67** **H.265+** **8MP** HYU-424

HYUNDAI NEXTGEN IP BULLET CAMERA 2MP SMART IR 50M, VANDAL PROTECTION SUITABLE FOR OUTDOORS

- 1/2,8" CMOS, 2 megapixels
- Up to 1080P @ 25 fps
- 2,8 ~ 12 mm autofocus motor lens
- H.265+, H.265, H.264+, H.264
- 2 behaviour and face detection analysys
- Triple stream
- WDR 120dB, BLC, HLC, 3D-DNR, ROI
- MicroSD card slot Up to 128GB



50M SM-IR **AUTO** FOCUS **WDR** 120dB **IVS** **IP67** **H.265+** **2MP** HYU-739

IP BULLET 4MP, SMART IR 50M

- 4MP/3MP@25fps, 0,018 lux
- H.265+/H.264+, triple stream
- 2,8~12 mm motor lens
- 2 way audio, 1/1 I/O alarm
- MicroSD, WDR 120dB, IVS, IP67, IK10, PoE+



50M SM-IR **AUTO** FOCUS **WDR** 120dB **IVS** **IP67** **H.265+** **4MP** HYU-740

IP BULLET 4MP, 2,8~12MM MOTOR, SMART IR 30M

- 4MP@20fps, 0,014 lux
- H.264+/MJPEG, dual stream
- 2,8~12 mm motor lens
- MicroSD, 3D-DNR, WDR 120dB, IVS, IP67, PoE



30M SM-IR **WDR** 120dB **AUTO** FOCUS **IVS** **IP67** **4MP** HYU-203

IP BULLET 6MP, 2,8~12MM MOTOR, SMART IR 50M

- 6MP/5MP@20fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8~12 mm motor lens
- 3D-DNR, WDR 120dB, IVS, IP67, IK10, PoE



50M SM-IR WDR 120dB AUTO FOCUS IVS IP67 H.265+ SMP HYU-499

IP BULLET 8MP, 2,8~12MM MOTOR, IR 50M

- 8MP@20fps, 0,01 lux
- H.265+/H.264+, triple stream
- 2,8~12 mm motor lens
- 2 WAY AUDIO 1/1 I/O alarm, MicroSD
- WDR 120dB, IVS, IP67, IK10, PoE+



50M SM-IR WDR 120dB AUTO FOCUS IVS IP67 H.265+ SMP NightFighter HYU-405

IP VANDAL DOME 4MP, 2,8MM, SMART IR 30M

- 4MP/3MP@25fps, 0,018 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- MicroSD, WDR 120dB, IVS, IP67, IK10, PoE



30M SM-IR WDR 120dB 2,8 mm IVS IP67 H.265+ LMP HYU-742

IP VANDAL DOME 2MP, 2,8MM, SMART IR 30M

- 2MP@25fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- MicroSD, WDR 120dB, IVS, IP67, IK10, PoE



30M SM-IR WDR 120dB 2,8 mm IVS IP67 H.265+ EMP HYU-741

IP DOME 6MP, 2,8MM, SMART IR 30M

- 6MP/5MP@20fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IVS, IP67, PoE



30M SM-IR 2,8 mm WDR 120dB IVS IP67 H.265+ SMP HYU-494

IP VANDAL DOME 6MP, 2,8MM, SMART IR 30M


- 6MP/5MP@20fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- WDR 120dB, IVS, IP67, IK10, PoE



30M SM-IR 2,8 mm WDR 120dB IVS IP67 H.265+ SMP HYU-493

IP DOME 8MP, 2,8MM, SMART IR 30M

- 1/2,5" CMOS, 8 MP
- 8MP (3840x2160), 5MP (3072x1728), 4MP (2560x1440)
- H.265/H.264/MJPEG
- Main stream: 8MP (12,5 fps), 5MP (20 fps), 4MP, 1080P, 720P (25 fps)
- Secondary stream: VGA, nHD, QVGA (25 fps)



- Third stream: 720P, nHD, CIF (25 fps)
- IR illumination: 30 meters
- 0,028 lux F2.0 / 0 lux IR On
- 2,8 mm lens

30M SM-IR 2,8 mm WDR 120dB IVS IP67 H.265+ SMP HYU-425



IP VANDAL DOME 8MP, 2,8MM, SMART IR 30M

- 8MP@12fps, 0,028 lux
- H.265/H.264, triple stream
- 2,8 mm lens
- WDR 120dB, IVS, IP67, IK10, PoE



30M SM-IR 2,8 mm WDR 120dB IVS IP67 H.265+ SMP HYU-426

IP VANDAL DOME 8MP, 2,8MM, SMART IR 30M

- 8MP@20fps, 0,01 lux
- H.265/H.264, triple stream
- 2,8 mm lens
- MicroSD, WDR 120dB, IP67, IK10, PoE



30M SM-IR 2,8 mm WDR 120dB IVS IP67 H.265+ SMP HYU-286

IP VANDAL DOME 2MP, 2,8~12MM VARIFOCAL, IR 30M

- 2MP@25fps, 0,014 lux
- H.264/MJPEG, dual stream
- 2,8~12 mm varifocal lens
- MicroSD, D-WDR, IVS, IP67, IK10, PoE



HYU-241

IP DOME 2MP, SMART IR 30M

- 2MP@25fps, 0,018 lux
- H.265+/H.264+, triple stream
- 2,8~12 mm motor lens
- 2 way audio, 1/1 I/O alarm
- MicroSD, WDR 120dB, IVS, IP67, IK10, PoE



HYU-743

IP VANDAL DOME, 6MP

- 6MP/5MP@20fps, 0,018 lux
- H.265+/H.264+, triple stream
- 2,8~12 mm motor lens
- 2 way audio, 1/1 I/O alarm, MicroSD
- WDR 120dB, IVS, IP67, IK10, PoE



HYU-500

IP DOME 4MP, SMART IR 30M

- 4MP/3MP@25fps, 0,018 lux
- H.265+/H.264+, triple stream
- 2,8~12 mm motor lens
- 2 way audio, 1/1 I/O alarm
- MicroSD, WDR 120dB, IVS, IP67, IK10, PoE



HYU-744

IP VANDAL DOME, 8MP

- 8MP@20fps, 0,014 lux
- H.265+/H.264+, triple stream
- 2,8~12 mm motor lens
- 2 way audio, 1/1 I/O alarm, MicroSD
- WDR 120dB, IVS, IP67, IK10, PoE



HYU-396

IP VANDAL DOME, 8MP

- 8MP@20fps, 0,014 lux
- H.265+/H.264+, triple stream
- 2,8~12 mm motor lens
- 2 way audio, 1/1 I/O alarm, MicroSD
- WDR 120dB, IVS, IP67, IK10, PoE



HYU-397

IP VANDAL DOME, 8MP

- 8MP@20fps, 0,01 lux
- H.265+/H.264+, triple stream
- 2,8~12 mm motor lens
- 2 way audio, 1/1 I/O alarm, MicroSD
- WDR 120dB, IVS, IP67, IK10, PoE+



NightFighter 

- 1 ROI per stream
- 1/1 I/O audio
- 1/1 I/O alarm



HYU-406

IP CAMERAS

PTZ

IP BULLET 2MP, PAN/TILT AND ZOOM 4X, IR 80M

- 2MP@25fps
- 2,8~12 mm motor lens
- 250°@15°/s (H); -10°~55°@10°/s (V)
- 255 presets, 8 tour, 4 patterns



HIK P&P 80M SM-IR AUTO FOCUS WDR 120dB IP66 EMP

HYU-111

IP BULLET 2MP, PAN/TILT AND ZOOM 10X, IR 80M

- 2MP@25fps
- 5,1~51 mm motor lens
- 0°~250°@15°/s (H); -10°~55°@10°/s (V)
- 255 presets, 8 tour, 4 patterns



HIK P&P 80M SM-IR AUTO FOCUS WDR 120dB IP66 EMP

HYU-110

PTZ IP DOME 2MP, ZOOM 4X, IR 30M

- 2MP@25fps, 0,05/0,005 lux
- 2,8~12 mm motor lens
- 350°@60°/s (H); 90°@50°/s (V)
- 300 presets, audio, 1/1 I/O alarm
- MicroSD, D-WDR, ROI, MicroSD, PoE



2MP 25fps 30M SM-IR WDR digital H.265+ EMP

HYU-237

PTZ IP DOME 4MP, ZOOM 15X, SMART IR 100M, POE+

- 4MP@25fps, 0,005/0,001 lux
- H.265+/MJPEG, triple stream
- 5~75 mm motor lens
- 350°@80°/s (H); 90°@80°/s (V)



4MP 25fps 100M SM-IR WDR 120dB IP66 PoE+ H.265+ EMP

HYU-688

PTZ IP DOME 2MP, ZOOM 25X, IR 100M

- 4MP@25fps, 0,05/0,005 lux
- 4,8~120 mm motor lens
- 350°@80°/s (H); -15°~90°@80°/s (V)
- 300 presets, 2 way audio, MicroSD
- WDR 120dB, IVS, IP66, PoE+



2MP 25fps 100M SM-IR WDR 120dB IVS IP66 H.265+ EMP

HYU-428N

PTZ IP DOME 4MP, ZOOM 25X, SMART IR 100M, POE+

- 4MP@25fps, 0,005/0,001 lux
- H.265+/MJPEG, triple stream
- 4,8~120 mm motor lens
- 350°@80°/s (H); 90°@80°/s (V)



4MP 25fps 100M SM-IR WDR 120dB IP66 PoE+ H.265+ EMP

HYU-687

PTZ IP DOME 2MP, ZOOM 25X, SMART IR 150M, HI-POE



EMP H.265+

2MP **150m** **WDR** **IVS** **IP66**
25fps SM-IR 120dB

- 2MP@25fps, 0,005/0,001 lux
- H.265+/MJPEG, triple stream
- 4,8~120 mm motor lens
- 360°@120°/s (H); 90°@80°/s (V)
- 300 presets, 8 tour, 4 patterns
- 2 way audio, WDR 120dB, IVS
- MicroSD, IP66, Hi-PoE

HYU-386

PTZ IP DOME 2MP, ZOOM 40X, IR 150M



EMP H.265+

HIK **2MP** **150m** **WDR** **IP66**
P&P 25fps SM-IR 120dB

- 2MP@25fps, 0,05/0,01 lux
- H.265/H.264, dual stream
- Optical zoom 40X
- 360°@350°/s (H); 90°@120°/s (V)
- 256 presets, 8 tour, 4 patterns
- 2 way audio, WDR 120dB
- 1/1 I/O alarm, IP66, lens cleaner

HYU-455

PTZ IP DOME 4MP, ZOOM 30X, SMART IR 150M, HI-POE



4MP H.265+

4MP **150m** **WDR** **IVS** **IP66**
25fps SM-IR 120dB

- 4MP@25fps, 0,005/0,002 lux
- H.265+/H.264+, triple stream
- Motor lens 5,9~177 mm
- 360°@160°/s (H); -15°~90°@120°/s (V)
- 300 presets, 8 tour, 4 patterns
- MicroSD, D-WDR, IVS, IP66, Hi-PoE
- 2 way audio, 2/1 I/O alarm

HYU-691

PTZ IP DOME 2MP, ZOOM 32X, SMART IR 150M, HI-POE



EMP H.265+

2MP **150m** **WDR** **IVS** **IP66**
50ips SM-IR 120dB

- 2MP@50fps, 0,005/0,001 lux
- H.265+/H.264+, triple stream
- 4,8~153 mm motor lens
- 360°@160°/s (H); -15°~90°@160°/s (V)
- 300 presets, 8 tour, 4 patterns
- MicroSD, WDR 120dB, IVS, IP66, Hi-PoE
- 2 way audio, 2/1 I/O alarm

HYU-690

HYUNDAI

IP
NVR




IP NVR NEXTGEN IP NVR



NVR OF 4CH, 4MP@40MB/S

- H.265+, H.264+, dual stream
- VGA and HDMI output
- 40/60Mbps I/O
- 1ch@4MP decoding
- Up to 1 HDD, 2 USB




HYU-525
(NVR3104P)



NVR OF 4CH, 4MP@40MB/S, 4 POE+

- H.265+, H.264+, dual stream
- VGA and HDMI output
- 40/60Mbps I/O
- 1ch@4MP decoding
- Up to 1 HDD, 2 USB, 4 PoE/PoE+



HYU-523
(NVR3104P-4P)



NVR OF 8CH, 4MP@60MB/S

- H.265+, H.264+, dual stream
- VGA and HDMI output
- 60/60Mbps I/O
- 1ch@4MP decoding
- Up to 1 HDD, 2 USB



HYU-526
(NVR3108P)



NVR OF 8CH, 4MP@60MB/S, 8 POE+

- H.265+, H.264+, dual stream
- VGA and HDMI output
- 60/60Mbps I/O
- 1ch@4MP decoding
- Up to 1 HDD, 2 USB, 8 PoE/PoE+



HYU-524
(NVR3108P-8P)




NVR OF 16CH, 8MP@160MB/S, 16 POE+

- H.265+/H.264+, dual stream
- Outputs: HDMI (4K) and VGA
- 160/80Mbps I/O
- Simultaneous playback: 16 ch, 1 ch 8MP
- Supports: 2 HDD SATA, RJ45 GB, 2 USB, 16 PoE/PoE+



HYU-754



NVR OF 32CH, 6MP@160MB/S

- H.264+/MPEG4, dual stream
- VGA and HDMI output
- 160/80Mbps I/O
- Decoding: 12ch@720P, 4/1 I/O alarm
- Up to 2 HDD, RJ45 GB, 2 USB



HYU-733
(NVR4232M-4K)



NVR OF 8CH, 8MP@80MB/S, 8 POE+

- H.265/H.264+, dual stream
- Outputs: HDMI (4K) and VGA
- 80/160Mbps I/O
- Decoding: 2ch@8MP, 4/1 I/O alarm
- Up to 2 HDD, RJ45 GB, 2 USB, 8 PoE/PoE+



H.265
BMP

HYU-281
(NVR4208M-8P-4K)

NVR OF 32CH, 12MP@256MB/S, 16 POE+

- H.265+/H.264+, dual stream
- Outputs: HDMI (4K) and VGA
- 256/160Mbps I/O
- Decoding: 4ch@8MP, 16/4 I/O alarm
- Dewarping, Up to 4 HDD, RJ45 GB, 3 USB, RS485 16 PoE+



HYU-382
(NVR5432-16P-4K/1S)

NVR OF 64CH, 12MP@320MB/S

- H.265+/H.264+/MPEG4, dual stream
- 2 Outputs: HDMI (1 @ 4K) and 2 VGA outputs (1 @ 2K)
- 320/256Mbps I/O
- Decoding: 2ch@12MP, 1/2 I/O audio
- Up to 8HDD (RAID0/1/5/6/10), 1 eSATA
- 16/4 I/O alarm, POS, 2 RJ45 GB, 3 USB, RS485



HYU-736
(NVR7864-4K)

NVR OF 4CH, 8MP@40MB/S, 4 POE+


- H.265+/H.264+, dual stream
- Outputs: HDMI (4K) and VGA
- 40/80Mbps I/O
- Simultaneous playback: 4 ch 1080P, 1 ch 8MP
- Supports: 1 HDD SATA, RJ45 GB, 4 PoE+



HYU-755
(DS-7604NI-Q1/4P)

NVR OF 8CH, 8MP@80MB/S, 8 POE+

- H.265+/MPEG4, dual stream
- Outputs: HDMI (4K) and VGA
- 80/80Mbps I/O
- Simultaneous playback: 8 ch 720P, 1 ch 8MP
- Supports: 1 HDD SATA, RJ45 GB, 8 PoE+



HYU-756
(DS-7608NI-Q1/8P)

NVR OF 16CH, 8MP@160MB/S, 16 POE+

- H.265/H.264+, dual stream
- Outputs: HDMI (4K) and VGA
- 160/160Mbps I/O
- Decoding: 2ch@8MP, 4/1 I/O alarm
- Up to 2 HDD, RJ45 GB, 2 USB, 16 PoE/PoE+



HYU-282
(NVR4216M-16P-4K)

NVR OF 8CH, 12MP@80MB/S, 8 POE+

- H.265/H.264+, **POS function**
- Outputs: HDMI (4K) and VGA
- 80/256Mbps I/O
- Decoding: 4ch@8MP, 4/1 I/O alarm
- Up to 2 HDD, RJ45 GB, 2 USB, 8 PoE/PoE+



HYU-473
(NVR5208-8P-4K/POS)

NVR OF 8CH, 8MP@80MB/S

- H.265+/H.264+, dual stream
- Outputs: HDMI (4K) and VGA
- 80/160Mbps I/O
- Decoding: 2ch@8MP, 4/1 I/O alarm
- Up to 2 HDD, RJ45 GB, 2 USB

4K
ULTRA HD



HYU-735
(NVR4208M)

NVR OF 16CH, 8MP@160MB/S

- H.265+/H.264+, dual stream
- Outputs: HDMI (4K) and VGA
- 160/160Mbps I/O
- Decoding: 2ch@8MP, 4/1 I/O alarm
- Up to 2 HDD, RJ45 GB, 2 USB

4K
ULTRA HD



HYU-734
(NVR4216M)

NVR OF 16CH, 12MP@160MB/S, 16 POE+

4K
ULTRA HD



- H.265/H.264, dual stream
- Outputs: HDMI (4K) and VGA
- 160/256Mbps I/O
- Decoding: 4ch@8MP, 4/1 I/O alarm
- Up to 4 TPV, Up to 2 HDD, RJ45 GB, 2 USB, 16 PoE+



HYU-520
(NVR5216-16P-4K/POS)


IP NVR OF 4CH, 8MP@40MB/S, 4 POE+

NEW



- H.265/H.264/MPEG4, dual stream
- Output: VGA @ 1080P and HDMI @ 4K
- 40/80Mbps I/O
- Simultaneous playback: 4 ch 1080P
- Almacenamiento: 1 puerto SATA de Up to 6TB (HDD no incluido)
- Plug&Play with IP CAMERAS NEXTGEN

4K
ULTRA HD



HYU-280N
(NVR4104M-4P-4K)

IP NVR IP NVR AI-SENSE



NVR SERIE AISENSE DE HYUNDAI

Aisense is able to differentiate, with great precision, a human body and a vehicle on a stage with a large number of objects. Not only can detect human and vehicle intrusion, it also can filter out false alarms that could have been triggered by moving objects that are not a threat.



NVR AISENSE OF 8CH, 12MP@80MB/S, 8 POE+

- H.265/H.265+/H.264/H.264+, dual stream
- Output: HDMI (4K), VGA and BNC
- 80/256Mbps I/O
- Decoding: 8ch@8MP
- 4/1 I/O alarm, 4ch AI
- Up to 2 HDD, RJ45 GB, 2 USB, 8 PoE/PoE+

4K
ULTRA HD



HYU-634
(NVR7208-8P-AI)